FOR IMMEDIATE RELEASE:

CONTACT:

Jim Mimlitz, SCADAmetrics 595 Vista Hills St. Louis, MO 63025 USA Voice: 636.938.9633, Fax: 636.587.2345 scadametrics.com

Hot Water Sub-Metering And Process Monitoring Now Possible With The EtherMeter.

St. Louis, Missouri 01 August 2009

SCADAmetrics is pleased to announce that several hot water meters have been determined to be compatible with the EtherMeter, its flagship SCADA/Meter gateway. This list will be updated as additional compatible hot water meters are located.

For commercial sub-metering and plant process monitoring applications, this means that precise totalization and flow rate information may now be collected from hot water meters using the MODBUS[®], DF1, and EtherNet/IP protocols.

The MVR Series by Hersey Meters Sizes 3/4" thru 6" (link). Encoder Register: Translator Maximum Water Temperature: 180 degrees F.



MVR Hot Water Meter By Hersey.

The Spectrum and Enduro Series by Metron-Farnier Sizes 3/4" (link) and Sizes 1" thru 2" (link) and Sizes 4" thru 8" (link) Encoder Register: HawkEyeOER.

Maximum Water Temperature: 194 degrees F.



Enduro and Spectrum Hot Water Meters By Metron-Farnier.

ABOUT SCADAmetrics –

SCADAmetrics is the manufacturer of the EtherMeter ™ SCADA/Meter Gateway – the device that enables Telemetry and SCADA System Integrators to read large municipal and industrial water meters using MODBUS[®] and Rockwell Automation industrial protocols.